CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

VOLUME 23, 1986

Author Index / Index des auteurs

Afram, A., see Hanna, A.M., 387.
Agar, J.G., Morgenstern, N.R., and Scott, J.D. Thermal expansion and pore pressure generation in oil sands, 327.
Aitcin, P.C., see Ballivy, G., 481.
Almeida, M.S.S., Britto, A.M., and Parry, R.H.G. Numerical modelling of a centrifuged embankment on soft clay, 103.
Ambrosii, G., see Hanna, A.W., 203.
Andersland, O.B., see Soo, S., 355.
Authier, J., see Samson, L., 174.
Ballivy, G., Benmokrane, B., et Aitcin, P.C. Rôle du scellement dans les ancrages actifs scellés dans le rocher, 481.
Bazett, D.J. Soil improvement by preloading, 424.
Bazett, D.J., and McCammon, N.R. Foundations of the Annacis cable-stayed bridge, 458.
Beauséjour, N., see Locat, J., 247.
Been, K., see Crooks, J.H.A., 528.
Benmokrane, B., see Ballivy, G., 481.
Bentley, S.P., see Carter, M., 598.
Bérubé, M.-A., see Locat, J., 247.
Bezirci, M.H., see Wasti, Y., 241.
Boonsinsuk, P., see Yong, R.N., 216.
Bradford, D., see Sayed, M., 346.
Briaud, J.-L., and Felio, G.Y. Cyclic axial loads on piles: Analysis of existing data, 362.
Britto, A.M., see Almeida, M.S.S., 103.
Brown, E.T., see Michelis, P., 9.
Burgess, N.C. Piling engineering, 259.
Burland, J.B., and Hellings, J.E. The measurements of soil parameters relevant to tunnelling in clays: Discussion, 399.
Caldwell, J.A., see Morris, D.V., 96.
Caldwell, J.A., see Morris, D.V., 101.
Carter, M., and Bentley, S.P. Practical guidelines for microwave drying of soils, 598.
Casagrande, D.R., Casagrande, L., and Castro, G. Improvement of sensitive silty clay by electroosmosis: Discussion, 95.
Casagrande, L., see Casagrande, D.R., 95.
Castro, G., see Casagrande, D.R., 95.
Chahal, R., see Kenney, T.C., 98.
Chang, D.K., see Guido, V.A., 435.
Chapuis, R.P. Quantitative measurement of the scour resistance of natural solid clays, 132.
Chapuis, R.P., and Gatien, T. An improved rotating cylinder technique for quantitative measurements of the scour resistance of clays, 83.
Cherry, J.A., see Keller, C.K., 229.
Chiu, E., see Kenney, T.C., 98.
Chursinoff, R.W., see Clifton, A.W., 60.
Claisse, M., see Dussault, R., 595.
Clifton, A.W., Yoshida, R.T., and Chursinoff, R.W. Regina Beach–a town on a landslide, 60.
Collins, D.S., see Nichols, Jr., T.C., 181.
Crooks, J.H.A., see Folkes, D.J., 413.
Crooks, J.H.A., Been, K., Mickleborough, B.W., and Dean, J.P. An embankment failure on soft fissured clay, 528.
Cruden, D.M. The geometry of slip surfaces beneath landslides: predictions from surface measurements: Discussion, 94.
Davidson, R.R., see Nichols, Jr., T.C., 181.
Dean, J.P., see Crooks, J.H.A., 528.
De Lory, F.A. The physiography of southern Ontario, 99.
Dubin, B.I., see Mitchell, R.J., 393.
Dunnigan, L.P., see Sherard, J.L., 418.
Dussault, R., et Claisse, M. Le seuil 9 sur la rivière Opinaca, 595.
Dusseault, M.B., Loftsson, M., and Russell, D. The mechanical behavior of the Kettle Point oil shale, 87.
El-Sharnouby, B., and Novak, M. Flexibility coefficients and interaction factors for pile group analysis, 441.
Evans, S.G. The maximum discharge of outburst floods caused by the breaching of man-made and natural dams, 385.
Fan, K., Fredlund, D.G., and Wilson, G.W. An interslice force function for limit equilibrium slope stability analysis, 287.

Felio, G.Y., see Briaud, J.-L., 362.
Folkes, D.J., and Crooks, J.H.A. Effective stress paths and yielding in soft clays below embankments: Reply, 413.
Frederking, R.M.W., see Sayed, M., 346.
Fredlund, D.G., see Fan, K., 287.
Gatien, T., see Chapuis, R.P., 83.
Goodrich, L.E. Field measurements of soil thermal conductivity, 51.
Graham, J., and Hovan, J.-M. Stress characteristics for bearing capacity in sand using a critical state model, 195.
Greenhouse, J.P., and Slaine, D.D. Geophysical modelling and mapping of contaminated groundwater around three waste disposal sites in southern Ontario, 372.
Guido, V.A., Chang, D.K., and Sweeney, M.A. Comparison of geogrid and geotextile reinforced earth slabs, 435.
Hagerty, D.J., see Ullrich, C.R., 304.
Hanna, A.M., and Afram, A. Pull-out capacity of single batter piles in sand, 387.
Hanna, A.W., Ambrosii, G., and McConnell, A.D. Investigation of a coarse alluvial foundation for an embankment dam, 203.
Harris, M.C. Field instrumentation in geotechnical engineering, 424.
Hasegawa, H.S., see McLennan, J.D., 548.
Hellings, J.E., see Burland, J.B., 399.
Hess, A.E. Identifying hydraulically conductive fractures with a slow-velocity borehold flowmeter, 69.
Hillis, S.F., see Morris, D.V., 96.
Hillis, S.F., see Morris, D.V., 101.
Holmberg, R.W., see Ullrich, C.R., 304.
Hovan, J.-M., see Graham, J., 195.
Hutchinson, J.N. A sliding–consolidation model for flow slides, 115.
Ismael, N.F., and Jeragh, A.M. Static cone tests and settlement of calcareous desert sands, 297.
Jeragh, A.M., see Ismael, N.F., 297.
Jessop, A.M., see McLennan, J.D., 548.
Jones, C.W. Closed-system freezing of soil in earth dams and canals, 1.
Keller, C.K., van der Kamp, G., and Cherry, J.A. Fracture permeability and groundwater flow in clayey till near Saskatoon, Saskatchewan, 229.
Kennedy, J.B., see Laba, J.T., 317.
Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omange, G.N., and Ume, C.A. Controlling constriction sizes of granular filters: Reply, 98.
Kenney, T.C., and Lau, D. Internal stability of granular filters: Reply, 420.
Konrad, J.-M. Internal stresses in frozen ground: Discussion, 408.
Koumoto, T., see Sastry, V.V.R.N., 451.
Koumoto, T., Meyerhof, G.G., and Sastry, V.V.R.N. Analysis of bearing capacity of rigid piles under eccentric and inclined loads, 127.
La Rochelle, P., see Pilot, G., 253.
La Rochelle, P., Leroueil, S., and Tavenas, F. The causes and effects of aging in quick clays: Discussion, 407.
La Rochelle, P., Leroueil, S., and Tavenas, F. A technique for long-term storage of clay samples, 602.
Laba, J.T., and Kennedy, J.B. Reinforced earth retaining wall analysis and design, 317.
Lafleur, J., and Tétreault, M. Controlling constriction sizes of granular filters: Discussion, 97.
Lau, D., see Kenney, T.C., 420.
Lefebvre, G. Slope instability and valley formation in Canadian soft clay deposits, 261.
Lefebvre, G. Postconstruction settlement of an expressway built on peat by precompression: Discussion, 402.
Lefebvre, G., Rohan, K., and Milette, J.-P. Erosivity of intact clay: Influence of the natural structure, 427.
Legget, R.F., and Schriever, W.R. Archaeology from a Swiss test boring, 250.
Lemieux, M., see Roy, M., 23.
Leroueil, S., see La Rochelle, P., 407.
Leroueil, S., see La Rochelle, P., 602.
Leroueil, S., and Tavenas, F. Effective stress paths and yielding in soft clays below embankments: Discussion, 410.
Lessard, G., and Mitchell, J.K. The causes and effects of aging in quick clays: Reply, 408.
Lo, K.Y., see Ng, R.M.C., 30.
Lo, K.Y., see Ng, R.M.C., 401.
Locat, J., Beauséjour, N., et Bérubé, M.-A. Utilisation du céléromètre ultrasonique sur des sols cohérents, 247.
Loftsson, M., see Dusseault, M.B., 87.
McCammon, N.R., see Bazett, D.J., 458.
McConnell, A.D., see Hanna, A.W., 203.
McLennan, J.D., Hasegawa, H.S., Roegiers, J.-C., and Jessop, A.M. Hydraulic fracturing experiment at the University of Regina Campus, 548.
McRoberts, E.C., and Prochera, R. Dredged slopes at Thompson open-pit, 556.
Mesri, G. Postconstruction settelement of an expressway built on peat by precompression: Discussion, 403.
Meyerhof, G.G., see Koumoto, T., 127.
Meyerhof, G.G., see Sastry, V.V.R.N., 281.
Meyerhof, G.G., see Sastry, V.V.R.N., 451.
Michelis, P., and Brown, E.T. A yield equation for rock, 9.
Mickleborough, B.W., see Crooks, J.H.A., 528.
Milette, J.-P., see Lefebvre, G., 427.

Milligan, V. Internal stability of granular filters: Discussion, 414.
Mitchell, J.K., see Lessard, G., 408.
Mitchell, R.J. Centrifuge model tests on backfill stability, 341.
Mitchell, R.J., and Dubin, B.I. Pore pressure generation and dissipation in dense sands under cyclic loading, 393.
Mollard, J.D. Early regional photointerpretation and geological studies of landslide terrain along the South Saskatchewan and Qu'Appelle River valleys, 79.
Morgenstern, N.R., see Agar, J.G., 327.
Morgenstern, N.R., see Savigny, K.W., 490.
Morgenstern, N.R., see Savigny, K.W., 504.
Morgenstern, N.R., see Savigny, K.W., 515.
Morin, P. Remblais sur argiles molles, 425.
Morris, D.V., Hillis, S.F., and Caldwell, J.A. Improvement of sensitive silty clay by electroosmosis: Reply, 96.
Morris, D.V., Hillis, S.F., and Caldwell, J.A. Erratum: Improvement of sensitive silty clay by electroosmosis, 101.
Negussey, D., and Vaid, Y.P. Sand deformation under proportional loading, 155.
Ng, R.M.C., and Lo, K.Y. The measurements of soil parameters relevant to tunnelling in clays: Reply, 401.
Ng, R.M.C., Lo, K.Y., and Rowe, R.K. Analysis of field performance–the Thunder Bay tunnel, 30.
Nichols, Jr., T.C., Collins, D.S., and Davidson, R.R. *In situ* and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota — A characterization of engineering behavior, 181.
Novak, M., see El-Sharnouby, B., 441.
Ofoegbu, G.I., see Kenney, T.C., 98.
Omange, G.N., see Kenney, T.C., 98.
Parashar, S.K., see Worsfold, R.D., 142.
Parry, R.H.G., see Almeida, M.S.S., 103.
Penner, E. Ice lensing in layered soils, 334.
Perrott, T., see Worsfold, R.D., 142.
Pilot, G., Trak, B., and La Rochelle, P. Effective stress analysis of the stability of embankments on soft soils: Reply, 253.
Prochera, R., see McRoberts, E.C., 556.
Rawlings, G.E. Active slide in Tertiary bentonitic claystones, Upper Hat Creek, British Columbia, 164.
Raymond, G.P. Performance assessment of a railway turnout geotextile, 472.
Reed, D.J., see Solymar, Z.V., 271.
Ripley, C.F. Internal stability of granular filters: Discussion, 255.
Robertson, P.K. *In situ* testing and its application to foundation engineering, 573.
Roegiers, J.-C., see McLennan, J.D., 548.
Rohan, K., see Lefebvre, G., 427.
Rowe, R.K., see Ng, R.M.C., 30.
Roy, M., and Lemieux, M. Long-term behaviour of reconsolidated clay around a driven pile, 23.
Russell, D., see Dusseault, M.B., 87.
Samson, L., and Authier, J. Change in pile capacity with time: case histories, 174.
Sastry, V.V.R.N., see Koumoto, T., 127.
Sastry, V.V.R.N., and Meyerhof, G.G. Lateral soil pressures and displacements of rigid piles in homogeneous soils under eccentric and inclined loads, 281.
Sastry, V.V.R.N., Meyerhof, G.G., and Koumoto, T. Behaviour of rigid piles in layered soils under eccentric and inclined loads, 451.
Savigny, K.W., and Morgenstern, N.R. Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories, 490.
Savigny, K.W., and Morgenstern, N.R. *In situ* creep properties in ice-rich permafrost soil, 504.
Savigny, K.W., and Morgenstern, N.R. Creep behaviour of undisturbed clay permafrost, 515.
Sayed, M., Frederking, R.M.W., and Bradford, D. Ice cover deformations at Adams Island, winter 1982–1983, 346.
Schriever, W.R., see Legget, R.F., 250.
Schulz, T.M., see Thomson, S., 541.
Scott, J.D., see Agar, J.G., 327.
Scott, J.D., see Thomson, S., 541.
Seedsman, R. The behaviour of clay shales in water, 18.
Sego, J.D., see Thomson, S., 541.
Sherard, J.L., and Dunnigan, L.P. Internal stability of granular filters: Discussion, 418.
Slaine, D.D., see Greenhouse, J.P., 372.
Solymar, Z.V., and Reed, D.J. A comparison of foundation compaction techniques, 271.
Soo, S., Wen, R.K., and Andersland, O.B. Flexural behavior of frozen soil, 355.
Sweeney, M.A., see Guido, V.A., 435.
Tavenas, F., see La Rochelle, P., 407.
Tavenas, F., see Leroueil, S., 410.
Tavenas, F., see La Rochelle, P., 602.
Tétreault, M., see Lafleur, J., 97.
Thomson, S. Failures in earthworks, 606.
Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M. Testing of model footings on reclaimed land, Wabamun, Alberta, 541.
Trak, B., see Pilot, G., 253.
Ullrich, C.R., Hagerty, D.J., and Holmberg, R.W. Surficial failures of alluvial stream banks, 304.

Ume, C.A., see Kenney, T.C., 98.
Vaid, Y.P., see Negussey, D., 155.
van der Kamp, G., see Keller, C.K., 229. **VanDine, D.F.** Slope instability, 99.
VanDine, D.F. Slope instability, 99.
Wasti, Y., and Bezirci, M.H. Determination of the consistency limits of soils by the fall cone test, 241.
Wen, R.K., see Soo, S., 355.
Williams, P.J., and Wood, J.A. Internal stresses in frozen ground: Reply, 409.
Wilson, G.W., see Fan, K., 287.
Wong, G., see Yong, R.N., 216.
Wood, J.A., see Williams, P.J., 409.
Worsfold, R.D., Parashar, S.K., and Perrott, T. Depth profiling of peat deposits with impulse radar, 142.
Yong, R.N., Boonsinsuk, P., and Wong, G. Formulation of backfill material for a nuclear fuel waste disposal vault, 216.
Yoshida, R.T., see Clifton, A.W., 60.

CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GÉOTECHNIQUE

VOLUME 23, 1986

Subject Index / Index des matières[1]

A. General

02. *Historical Aspects*
Early regional photointerpretation and geological studies of landslide terrain along the South Saskatchewan and Qu'Appelle River valleys. Mollard, J.D., 79.
Archaeology from a Swiss test boring. Leggett, R.F., and Schriever, W.R., 250

04. *Textbooks, Handbooks, and Periodicals*
The physiography of southern Ontario. De Lory, F.A., 99.
Slope instability. VanDine, D.F., 99.
Field instrumentation in geotechnical engineering. Harris, M.C., 424.
Soil improvement by preloading. Bazett, D.J., 424.
Remblais sur argiles molles. Morin, P., 425.
Failures in earthworks. Thomson, S., 606.

B. Geological and Environmental Aspects

02. *Hydrogeological Aspects*
Surficial failures of alluvial stream banks. Ullrich, C.R., Hagerty, D.J., and Holmberg, R.W., 304.
Geophysical modelling and mapping of contaminated groundwater around three waste disposal sites in southern Ontario. Greenhouse, J.P., and Slaine, D.D., 372.
The maximum discharge of outburst floods caused by the breaching of man-made and natural dams. Evans, S.G., 385.
Hydraulic facturing experiment at the University of Regina Campus. McLennan, J.D., Hasegawa, H.S., Roegiers, J.-C., and Jessop, A.M., 548.

03. *Mass Movements and Land Subsidence*
Early regional photointerpretation and geological studies of landslide terrain along the South Saskatchewan and Qu'Appelle River valleys. Mollard, J.D., 79.
A sliding–consolidation model for flow slides. Hutchinson, J.N., 115.
Active slide in Tertiary bentonitic claystones, Upper Hat Creek, British Columbia. Rawlings, G.E., 164.
Slope instability and valley formation in Canadian soft clay deposits. Lefebvre, G., 261.

05. *Climatic Conditions*
Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories. Savigny, K.W., and Morgenstern, N.R., 490.
In situ creep properties in ice-rich permafrost soil. Savigny, K.W., and Morgenstern, N.R., 504.
Creep behaviour of undisturbed clay permafrost. Savigny, K.W., and Morgenstern, N.R., 515.

09. *Geomorphologic Aspects and Terrain Classification*
Early regional photointerpretation and geological studies of landslide terrain along the South Saskatchewan and Qu'Appelle River valleys. Mollard, J.D., 79.
Depth profiling of peat deposits with impulse radar. Worsfold, R.D., Parashar, S.K., and Perrott, T., 142.
Slope instability and valley formation in Canadian soft clay deposits. Lefebvre, G., 261.
Surficial failures of alluvial stream banks. Ullrich, C.R., Hagerty, D.J., and Holmberg, R.W., 304.
The maximum discharge of outburst floods caused by the breaching of man-made and natural dams. Evans, S.G., 385.
Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories. Savigny, K.W., and Morgenstern, N.R., 490.
In situ creep properties in ice-rich permafrost soil. Savigny, K.W., and Morgenstern, N.R., 504.
Creep behaviour of undisturbed clay permafrost. Savigny, K.W., and Morgenstern, N.R., 515.

---

[1]Based on the International Geotechnical Classification System (IGC) as revised in 1981.

10. *Mineralogical Aspects*
The causes and effects of aging in quick clays: Discussion. La Rochelle, P., Leroueil, S., and Tavenas, F., 407.
The causes and effects of aging in quick clays: Reply. Lessard, G., and Mitchell, J.K., 408.
A technique for long-term storage of clay samples. La Rochelle, P., Leroueil, S., and Tavenas, F., 602.

11. *Description of Regional Soil and Rock Conditions*
In situ and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota — A characterization of engineering behavior. Nichols, Jr., T.C., Collins, D.S., and Davidson, R.R., 181.

12. *Other Environmental Aspects*
Ice cover deformations at Adams Island, winter 1982–1983. Sayed, M., Frederking, R.M.W., and Bradford, D., 346.

C. Site Investigations

01. *Airphoto Surveys and Remote Sensing*
Depth profiling of peat deposits with impulse radar. Worsfold, R.D., Parashar, S.K., and Perrott, T., 142.

02. *Geophysical Surveys*
In situ and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota — A characterization of engineering behavior. Nichols, Jr., T.C., Collins, D.S., and Davidson, R.R., 181.
Geophysical modelling and mapping of contaminated groundwater around three waste disposal sites in southern Ontario. Greenhouse, J.P., and Slaine, D.D., 372.

03. *Probings (Soundings)*
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.
In situ testing and its application to foundation engineering. Robertson, P.K., 573.

04. *Visual Exploration Techniques*
The geometry of slip surfaces beneath landslides: predictions from surface measurements: Discussion. Cruden, D.M., 94.
Archaeology from a Swiss test boring. Leggett, R.F., and Schriever, W.R., 250

05. *Boring Techniques and Equipment*
In situ testing and its application to foundation engineering. Robertson, P.K., 573.

06. *Sampling*
A technique for long-term storage of clay samples. La Rochelle, P., Leroueil, S., and Tavenas, F., 602.

07. *Measurement of Field Conditions (incl. post-construction monitoring)*
Field measurements of soil thermal conductivity. Goodrich, L.E., 51.
Regina Beach — a town on a landslide. Clifton, A.W., Yoshida, R.T., and Chursinoff, R.W., 60.
Identifying hydraulically conductive fractures with a slow-velocity borehold flowmeter. Hess, A.E., 69.
In situ and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota — A characterization of engineering behavior. Nichols, Jr., T.C., Collins, D.S., and Davidson, R.R., 181.
Investigation of a coarse alluvial foundation for an embankment dam. Hanna, A.W., Ambrosii, G., and McConnell, A.D., 203.
Fracture permeability and groundwater flow in clayey till near Saskatoon, Saskatchewan. Keller, C.K., van der Kamp, G., and Cherry, J.A.,229.
Static cone tests and settlement of calcareous desert sands. Ismael, N.F., and Jeragh, A.M., 297.
Geophysical modelling and mapping of contaminated groundwater around three waste disposal sites in southern Ontario. Greenhouse, J.P., and Slaine, D.D., 372.
Field instrumentation in geotechnical engineering. Harris, M.C., 424.
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.
Hydraulic facturing experiment at the University of Regina Campus. McLennan, J.D., Hasegawa, H.S., Roegiers, J.-C., and Jessop, A.M., 548.
In situ testing and its application to foundation engineering. Robertson, P.K., 573.

08. *Field Testing (excl. tests for engineering properties, see Groups D and F)*
Identifying hydraulically conductive fractures with a slow-velocity borehold flowmeter. Hess, A.E., 69.

09. *Presentation of Results*
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.

D. Soil Properties: Laboratory and *In-Situ* Determinations

01. *Classification and Description of Soils*

Determination of the consistency limits of soil by the fall cone test. Wasti, Y., and Bezirci, M.H., 241.
Utilisation du céléromètre ultrasonique sur des sols cohérents. Locat, J., Beauséjour, N., et Bérubé, M.-A., 247.

02. *Physico-Chemical Properties*

An improved rotating cylinder technique for quantitative measurements of the scour resistance of clays. Chapuis, R.P., and Gatien, T., 83.
Improvement of sensitive silty clay by electroosmosis: Discussion. Casagrande, D.R., Casagrande, L., and Castro, G., 95.
Improvement of sensitive silty clay by electroosmosis: Reply. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 96.
Erratum: Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 101.
Determination of the consistency limits of soil by the fall cone test. Wasti, Y., and Bezirci, M.H., 241.
Utilisation du céléromètre ultrasonique sur des sols cohérents. Locat, J., Beauséjour, N., et Bérubé, M.-A., 247.
The causes and effects of aging in quick clays: Discussion. La Rochelle, P., Leroueil, S., and Tavenas, F., 407.
The causes and effects of aging in quick clays: Reply. Lessard, G., and Mitchell, J.K., 408.
A technique for long-term storage of clay samples. La Rochelle, P., Leroueil, S., and Tavenas, F., 602.

03. *Composition, Structure, Density, and Water Contents*

Formulation of backfill material for a nuclear fuel waste disposal vault. Yong, R.N., Boonsinsuk, P., and Wong, G., 216.
Static cone tests and settlement of calcareous desert sands. Ismael, N.F., and Jeragh, A.M., 297.
Practical guidelines for microwave drying of soils. Carter, M., and Bentley, S.P., 598.

04. *Hydraulic Properties*

Controlling constriction sizes of granular filters: Discussion. Lafleur, J., and Tétreault, M., 97.
Controlling constriction sizes of granular filters: Reply. Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omange, G.N., and Ume, C.A., 98.
Formulation of backfill material for a nuclear fuel waste disposal vault. Yong, R.N., Boonsinsuk, P., and Wong, G., 216.
Fracture permeability and groundwater flow in clayey till near Saskatoon, Saskatchewan. Keller, C.K., van der Kamp, G., and Cherry, J.A.,229.
Internal stability of granular filters: Discussion. Ripley, C.F., 255.
Internal stability of granular filters: Discussion. Milligan, V., 414.
Internal stability of granular filters: Discussion. Sherard, J.L., and Dunnigan, L.P., 418.
Internal stability of granular filters: Reply. Kenney, T.C., and Lau, D., 418.
Erosivity of intact clay: Influence of the natural structure. Lefebvre, G., Rohan, K., and Milette, J.-P., 427.

05. *Compressibility and Swelling*

Formulation of backfill material for a nuclear fuel waste disposal vault. Yong, R.N., Boonsinsuk, P., and Wong, G., 216.
The measurements of soil parameters relevant to tunnelling in clays: Discussion. Burland, J.B., and Hellings, J.E., 399.
The measurements of soil parameters relevant to tunnelling in clays: Reply. Ng., R.M.C., and Lo, K.Y., 401.

06. *Shear-Deformation and Strength Properties*

Erratum: Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 101.
A sliding–consolidation model for flow slides. Hutchinson, J.N., 115.
Quantitative measurement of the scour resistance of natural solid clays. Chapuis, R.P., 132.
Sand deformation under proportional loading. Negussey, D., and Vaid, Y.P., 155.
In situ and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota — A characterization of engineering behavior. Nichols, Jr., T.C., Collins, D.S., and Davidson, R.R., 181.
Pore pressure generation and dissipation in dense sands under cyclic loading. Mitchell, R.J., and Dubin, B.I., 393.
The measurements of soil parameters relevant to tunnelling in clays: Discussion. Burland, J.B., and Hellings, J.E., 399.
The measurements of soil parameters relevant to tunnelling in clays: Reply. Ng., R.M.C., and Lo, K.Y., 401.
Effective stress paths and yielding in soft clays below embankments: Discussion. Leroueil, S., and Tavenas, F., 410.
Effective stress paths and yielding in soft clays below embankments: Reply. Folkes, D.J., and Crooks, J.H.A., 413.
Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories. Savigny, K.W., and Morgenstern, N.R., 490.
In situ creep properties in ice-rich permafrost soil. Savigny, K.W., and Morgenstern, N.R., 504.
Creep behaviour of undisturbed clay permafrost. Savigny, K.W., and Morgenstern, N.R., 515.

07. *Dynamic Properties*

An improved rotating cylinder technique for quantitative measurements of the scour resistance of clays. Chapuis, R.P., and Gatien, T., 83.
Erratum: Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 101.

Quantitative measurement of the scour resistance of natural solid clays. Chapuis, R.P., 132.
Utilisation du céléromètre ultrasonique sur des sols cohérents. Locat, J., Beauséjour, N., et Bérubé, M.-A., 247.
Pore pressure generation and dissipation in dense sands under cyclic loading. Mitchell, R.J., and Dubin, B.I., 393.
Erosivity of intact clay: Influence of the natural structure. Lefebvre, G., Rohan, K., and Milette, J.-P., 427.

08. *Thermal Properties*
Closed-system freezing of soil in earth dams and canals. Jones, C.W., 1.
Field measurements of soil thermal conductivity. Goodrich, L.E., 51.
In situ and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota — A characterization of engineering behavior. Nichols, Jr., T.C., Collins, D.S., and Davidson, R.R., 181.
Thermal expansion and pore pressure generation in oil sands. Agar, J.G., Morgenstern, N.R., and Scott, J.D., 327.
Flexural behavior of frozen soil. Soo, S., Wen, R.K., and Andersland, O.B., 355.
Internal stresses in frozen ground: Reply. Williams, P.J., and Wood., J.A., 409.
Practical guidelines for microwave drying of soils. Carter, M., and Bentley, S.P., 598.

09. *Compactibility*
Formulation of backfill material for a nuclear fuel waste disposal vault. Yong, R.N., Boonsinsuk, P., and Wong, G., 216.

E. Analysis of Soil-Engineering Problems

01. *Stress Analysis*
Reinforced earth retaining wall analysis and design. Laba, J.T., and Kennedy, J.B., 317.

02. *Deformation and Settlement Problems*
Numerical modelling of a centrifuged embankment on soft clay. Almeida, M.S.S., Britto, A.M., and Parry, R.H.G., 103.
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Lefebvre, G., 402.
Effective stress paths and yielding in soft clays below embankments: Discussion. Leroueil, S., and Tavenas, F., 410.
Effective stress paths and yielding in soft clays below embankments: Reply. Folkes, D.J., and Crooks, J.H.A., 413.
Remblais sur argiles molles. Morin, P., 425.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

03. *Bearing Capacity of Shallow Foundations*
Stress characteristics for bearing capacity in sand using a critical state model Graham, J., and Hovan, J.-M., 195.

04. *Bearing Capacity of Piles and other Deep Foundations*
Long-term behaviour of reconsolidated clay around a driven pile. Roy, M., and Lemieux, M., 23.
Analysis of bearing capacity of rigid piles under eccentric and inclined loads. Koumoto, T., Meyerhof, G.G., and Sastry, V.V.R.N., 127.
Change in pile capacity with time: case histories. Samson, L., and Authier, J., 174.
Lateral soil pressures and displacements of rigid piles in homogeneous soils under eccentric and inclined loads. Sastry, V.V.R.N., and Meyerhof, G.G., 281.
Cyclic axial loads on piles: Analysis of existing data. Briaud, J.-L., and Felio, G.Y., 362.
Pull-out capacity of single batter piles in sand. Hanna, A.M., and Afram, A., 387.

05. *Earth Pressure Problems*
Reinforced earth retaining wall analysis and design. Laba, J.T., and Kennedy, J.B., 317.
The measurements of soil parameters relevant to tunnelling in clays: Discussion. Burland, J.B., and Hellings, J.E., 399.
The measurements of soil parameters relevant to tunnelling in clays: Reply. Ng., R.M.C., and Lo, K.Y., 401.

06. *Stability of Slopes and Excavations*
Regina Beach — a town on a landslide. Clifton, A.W., Yoshida, R.T., and Chursinoff, R.W., 60.
The geometry of slip surfaces beneath landslides: predictions from surface measurements: Discussion. Cruden, D.M., 94.
Numerical modelling of a centrifuged embankment on soft clay. Almeida, M.S.S., Britto, A.M., and Parry, R.H.G., 103.
Active slide in Tertiary bentonitic claystones, Upper Hat Creek, British Columbia. Rawlings, G.E., 164.
An interslice force function for limit equilibrium slope stability analysis. Fan, K., Fredlund, D.G., and Wilson, G.W., 287.
Effective stress paths and yielding in soft clays below embankments: Discussion. Leroueil, S., and Tavenas, F., 410.
Effective stress paths and yielding in soft clays below embankments: Reply. Folkes, D.J., and Crooks, J.H.A., 413.

07. *Seepage and other Hydraulic Problems*
Fracture permeability and groundwater flow in clayey till near Saskatoon, Saskatchewan. Keller, C.K., van der Kamp, G., and Cherry, J.A.,229.
Surficial failures of alluvial stream banks. Ullrich, C.R., Hagerty, D.J., and Holmberg, R.W., 304.
Hydraulic facturing experiment at the University of Regina Campus. McLennan, J.D., Hasegawa, H.S., Roegiers, J.-C., and Jessop, A.M., 548.

08. *Dynamic Problems*
Long-term behaviour of reconsolidated clay around a driven pile. Roy, M., and Lemieux, M., 23.
Cyclic axial loads on piles: Analysis of existing data. Briaud, J.-L., and Felio, G.Y., 362.
Flexibility coefficients and interaction factors for pile group analysis. El Sharnouby, B., and Novak, M., 441.

09. *Frost Action and Heat-Transfer Problems*
Closed-system freezing of soil in earth dams and canals. Jones, C.W., 1.
Thermal expansion and pore pressure generation in oil sands. Agar, J.G., Morgenstern, N.R., and Scott, J.D., 327.
Ice lensing in layered soils. Penner, E., 334.
Flexural behavior of frozen soil. Soo, S., Wen, R.K., and Andersland, O.B., 355.
Internal stresses in frozen ground: Discussion. Konrad, J.-M., 408.
Internal stresses in frozen ground: Reply. Williams, P.J., and Wood, J.A., 409.
Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories. Savigny, K.W., and Morgenstern, N.R., 490.
In situ creep properties in ice-rich permafrost soil. Savigny, K.W., and Morgenstern, N.R., 504.
Creep behaviour of undisturbed clay permafrost. Savigny, K.W., and Morgenstern, N.R., 515.

10. *Analysis of Layered Systems and Pavements Behaviour*
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Lefebvre, G., 402.
Performance assessment of a railway turnout geotextile. Raymond, G.P., 472.

12. *Soil-Structure Interaction*
Reinforced earth retaining wall analysis and design. Laba, J.T., and Kennedy, J.B., 317.
Comparison of geogrid and geotextile reinforced earth slabs. Guido, V.A., Chang, D.K., and Sweeney, M.A., 435.
Flexibility coefficients and interaction factors for pile group analysis. El Sharnouby, B., and Novak, M., 441.
Performance assessment of a railway turnout geotextile. Raymond, G.P., 472.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

13. *Mathematical Methods, Computer Analysis*
Analysis of field performance — the Thunder Bay tunnel. Ng, R.M.C., Lo, K.Y., and Rowe, R.K., 30.
Numerical modelling of a centrifuged embankment on soft clay. Almeida, M.S.S., Britto, A.M., and Parry, R.H.G., 103.
Stress characteristics for bearing capacity in sand using a critical state model Graham, J., and Hovan, J.-M., 195.
An interslice force function for limit equilibrium slope stablity analysis. Fan, K., Fredlund, D.G., and Wilson, G.W., 287.
The measurements of soil parameters relevant to tunnelling in clays: Discussion. Burland, J.B., and Hellings, J.E., 399.
The measurements of soil parameters relevant to tunnelling in clays: Reply. Ng., R.M.C., and Lo, K.Y., 401.
Flexibility coefficients and interaction factors for pile group analysis. El Sharnouby, B., and Novak, M., 441.
An embankment failure on soft fissured clay. Crooks, J.H.A., Been, K., Mickleborough, B.W., and Dean, J.P., 528.

14. *Model Test Analysis*
Numerical modelling of a centrifuged embankment on soft clay. Almeida, M.S.S., Britto, A.M., and Parry, R.H.G., 103.
Analysis of bearing capacity of rigid piles under eccentric and inclined loads. Koumoto, T., Meyerhof, G.G., and Sastry, V.V.R.N., 127.
Lateral soil pressures and displacements of rigid piles in homogeneous soils under eccentric and inclined loads. Sastry, V.V.R.N., and Meyerhof, G.G., 281.
Centrifuge model tests on backfill stability. Mitchell, R.J., 341.
Pull-out capacity of single batter piles in sand. Hanna, A.M., and Afram, A., 387.
Behaviour of rigid piles in layered soil under eccentric and inclined loads. Sastry, V.V.R.N., Meyerhof, G.G., and Koumoto, T., 451.
Performance assessment of a railway turnout geotextile. Raymond, G.P., 472.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

F. Rock Properties: Laboratory and *In-Situ* Determinations

01. *Classification and Description of Rocks and Rock Masses*
The physiography of southern Ontario. De Lory, F.A., 99.

03. *Composition, Density, and Structural Features*
The behaviour of clay shales in water. Seedsman, R., 18.
The mechanical behavior of the Kettle Point oil shale. Dusseault, M.B., Loftsson, M., and Russell, D., 87.

04. *Hydraulic Properties*
Identifying hydraulically conductive fractures with a slow-velocity borehold flowmeter. Hess, A.E., 69.

05. *Compressibility and Swelling*
The behaviour of clay shales in water. Seedsman, R., 18.
The mechanical behavior of the Kettle Point oil shale. Dusseault, M.B., Loftsson, M., and Russell, D., 87.

06. *Shear-Deformation and Strength Properties*
A yield equation for rock. Michelis, P., and Brown, E.T., 9.
The mechanical behavior of the Kettle Point oil shale. Dusseault, M.B., Loftsson, M., and Russell, D., 87.

G. Analysis of Rock-Engineering Problems

02. *Deformation and Displacement Problems*
A yield equation for rock. Michelis, P., and Brown, E.T., 9.
The mechanical behavior of the Kettle Point oil shale. Dusseault, M.B., Loftsson, M., and Russell, D., 87.
Erratum: Improvement of sensitive silty clay by electroosmosis. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 101.

12. *Rock-Structure Interaction*
Rôle du scellement dans les ancrages actifs scellés dans le rocher. Ballivy, G., Benmokrane, B., et Aitcin, P.C., 481.

13. *Mathematical Methods, Computer Analysis*
A yield equation for rock. Michelis, P., and Brown, E.T., 9.

H. Design, Construction, and Behaviour of Engineering Works

01. *Foundations of Structures (other than dams)*
Change in pile capacity with time: case histories. Samson, L., and Authier, J., 174.
Flexibility coefficients and interaction factors for pile group analysis. El Sharnouby, B., and Novak, M., 441.
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

04. *Dams and Reservoirs*
Investigation of a coarse alluvial foundation for an embankment dam. Hanna, A.W., Ambrosii, G., and McConnell, A.D., 203.
An embankment failure on soft fissured clay. Crooks, J.H.A., Been, K., Mickleborough, B.W., and Dean, J.P., 528.
Le seuil 9 sur la rivière Opinaca. Dussault, R., et Claisse, M., 595.
Failures in earthworks. Thomson, S., 606.

05. *Tunnels and Underground Openings*
Analysis of field performance — the Thunder Bay tunnel. Ng, R.M.C., Lo, K.Y., and Rowe, R.K., 30.
Centrifuge model tests on backfill stability. Mitchell, R.J., 341.
The measurements of soil parameters relevant to tunnelling in clays: Discussion. Burland, J.B., and Hellings, J.E., 399.
The measurements of soil parameters relevant to tunnelling in clays: Reply. Ng., R.M.C., and Lo, K.Y., 401.

06. *Roads, Railroads, and Airfields*
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Lefebvre, G., 402.
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.
Performance assessment of a railway turnout geotextile. Raymond, G.P., 472.

07. *Harbours, Canals, and Coastal Engineering Works*
Closed-system freezing of soil in earth dams and canals. Jones, C.W., 1.
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.
Dredged slopes at Thompson open-pit. McRoberts, E.C., and Prochera, R., 556.

09. *Slopes and Unsupported Excavations*
Regina Beach — a town on a landslide. Clifton, A.W., Yoshida, R.T., and Chursinoff, R.W., 60.
Early regional photointerpretation and geological studies of landslide terrain along the South Saskatchewan and Qu'Appelle River valleys. Mollard, J.D., 79.
Slope instability. VanDine, D.F., 99.
A sliding–consolidation model for flow slides. Hutchinson, J.N., 115.
Active slide in Tertiary bentonitic claystones, Upper Hat Creek, British Columbia. Rawlings, G.E., 164.
Effective stress analysis of the stability of embankments on soft soils. Reply. Pilot, G., Trak, B., and La Rochelle, P., 253.
Slope instability and valley formation in Canadian soft clay deposits. Lefebvre, G., 261.
Surficial failures of alluvial stream banks. Ullrich, C.R., Hagerty, D.J., and Holmberg, R.W., 304.
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Mesri, G., 403.
Effective stress paths and yielding in soft clays below embankments: Discussion. Leroueil, S., and Tavenas, F., 410.

Effective stress paths and yielding in soft clays below embankments: Reply. Folkes, D.J., and Crooks, J.H.A., 413.
Remblais sur argiles molles. Morin, P., 425.
Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories. Savigny, K.W., and Morgenstern, N.R., 490.
In situ creep properties in ice-rich permafrost soil. Savigny, K.W., and Morgenstern, N.R., 504.
Creep behaviour of undisturbed clay permafrost. Savigny, K.W., and Morgenstern, N.R., 515.
An embankment failure on soft fissured clay. Crooks, J.H.A., Been, K., Mickleborough, B.W., and Dean, J.P., 528.
Dredged slopes at Thompson open-pit. McRoberts, E.C., and Prochera, R., 556.

10. *Land Use*
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

K. Construction Methods and Equipment

01. *Drainage Methods*
Controlling constriction sizes of granular filters: Discussion. Lafleur, J., and Tétreault, M., 97.
Controlling constriction sizes of granular filters: Reply. Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omange, G.N., and Ume, C.A., 98.
Internal stability of granular filters: Discussion. Ripley, C.F., 255.
Internal stability of granular filters: Discussion. Milligan, V., 414.
Internal stability of granular filters: Discussion. Sherard, J.L., and Dunnigan, L.P., 418.
Internal stability of granular filters: Reply. Kenney, T.C., and Lau, D., 418.

02. *Sealing and Grouting Processes*
Rôle du scellement dans les ancrages actifs scellés dans le rocher. Ballivy, G., Benmokrane, B., et Aitcin, P.C., 481.

03. *Preloading and Soil Replacement*
Centrifuge model tests on backfill stability. Mitchell, R.J., 341.
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Lefebvre, G., 402.
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Mesri, G., 403.
Soil improvement by preloading. Bazett, D.J., 424.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

04. *Earthworks and Rock Excavations, Processing and Transportation*
Failures in earthworks. Thomson, S., 606.

05. *Compaction Processes*
A comparison of foundation compaction techniques. Solymar, Z.V., and Reed, D.J., 271.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

06. *Soil Stabilization and Erosion Control*
Improvement of sensitive silty clay by electroosmosis: Discussion. Casagrande, D.R., Casagrande, L., and Castro, G., 95.
Improvement of sensitive silty clay by electroosmosis: Reply. Morris, D.V., Hillis, S.F., and Caldwell, J.A., 96.
Controlling constriction sizes of granular filters: Discussion. Lafleur, J., and Tétreault, M., 97.
Controlling constriction sizes of granular filters: Reply. Kenney, T.C., Chahal, R., Chiu, E., Ofoegbu, G.I., Omange, G.N., and Ume, C.A., 98.
Internal stability of granular filters: Discussion. Ripley, C.F., 255.
Reinforced earth retaining wall analysis and design. Laba, J.T., and Kennedy, J.B., 317.
Centrifuge model tests on backfill stability. Mitchell, R.J., 341.
Internal stability of granular filters: Discussion. Milligan, V., 414.
Internal stability of granular filters: Discussion. Sherard, J.L., and Dunnigan, L.P., 418.
Internal stability of granular filters: Reply. Kenney, T.C., and Lau, D., 418.
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.

07. *Piles and Pile Driving, incl. Sheet Piles*
Long-term behaviour of reconsolidated clay around a driven pile. Roy, M., and Lemieux, M., 23.
Change in pile capacity with time: case histories. Samson, L., and Authier, J., 174.
Piling engineering. Burgess, N.C., 259.
Cyclic axial loads on piles: Analysis of existing data. Briaud, J.-L., and Felio, G.Y., 362.
Flexibility coefficients and interaction factors for pile group analysis. El Sharnouby, B., and Novak, M., 441.
Behaviour of rigid piles in layered soil under eccentric and inclined loads. Sastry, V.V.R.N., Meyerhof, G.G., and Koumoto, T., 451.
Foundations of the Annacis cable-stayed bridge. Bazett, D.J., and McCammon, N.R., 458.

08. *Construction of Caissons and Deep Piers*
Piling engineering. Burgess, N.C., 259.

11. *Support of Soil and Rock*
Reinforced earth retaining wall analysis and design. Laba, J.T., and Kennedy, J.B., 317.

13. *Protection Measures against Frost*
Closed-system freezing of soil in earth dams and canals. Jones, C.W., 1.
Ice lensing in layered soils. Penner, R., 334.
Internal stresses in frozen ground: Discussion. Konrad, J.-M., 408.
Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories. Savigny, K.W., and Morgenstern, N.R., 490.
In situ creep properties in ice-rich permafrost soil. Savigny, K.W., and Morgenstern, N.R., 504.
Creep behaviour of undisturbed clay permafrost. Savigny, K.W., and Morgenstern, N.R., 515.

14. *Measures for Improving Deformation and Stability Conditions, Reconstruction of Foundations*
Piling engineering. Burgess, N.C., 259.
A comparison of foundation compaction techniques. Solymar, Z.V., and Reed, D.J., 271.
Centrifuge model tests on backfill stability. Mitchell, R.J., 341.
Postconstruction settlement of an expressway built on peat by precompression: Discussion. Mesri, G., 403.
Soil improvement by preloading. Bazett, D.J., 424.
Comparison of geogrid and geotextile reinforced earth slabs. Guido, V.A., Chang, D.K., and Sweeney, M.A., 435.
Performance assessment of a railway turnout geotextile. Raymond, G.P., 472.
Rôle du scellement dans les ancrages actifs scellés dans le rocher. Ballivy, G., Benmokrane, B., et Aitcin, P.C., 481.
Testing model footings on reclaimed land, Wabamun, Alberta. Thomson, S., Scott, J.D., Sego, D.C., and Schulz, T.M., 541.

M. Materials of Construction

04. *Plastics and Similar Materials*
Comparison of geogrid and geotextile reinforced earth slabs. Guido, V.A., Chang, D.K., and Sweeney, M.A., 435.

05. *Cement and Chemicals*
Rôle du scellement dans les ancrages actifs scellés dans le rocher. Ballivy, G., Benmokrane, B., et Aitcin, P.C., 481.

S. Snow and Ice Mechanics and Engineering

00. *General*
Internal stresses in frozen ground: Reply. Williams, P.J., and Wood, J.A., 409.

01. *Snow and Ice Cover*
Ice cover deformations at Adams Island, winter 1982–1983. Sayed, M., Frederking, R.M.W., and Bradford, D., 346.

T. Related Disciplines

12. *Instrumentation and Measuring Techniques*
Field instrumentation in geotechnical engineering. Harris, M.C., 424.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 23 • 1986

Editor J. GRAHAM **Directeur scientifique**

Assistant to the Editor I. TRESTRAIL **Adjointe au directeur scientifique**

Associate Editors/Directeurs scientifiques associés

L. D. BAIKIE
M. BOZOZUK
P. K. CHATTERJI
J. A. CHERRY
J. I. CLARK
J. LAFLEUR
C. F. LEE
G. LEFEBVRE
D. R. McCREATH
D. E. MITCHELL
R. J. MITCHELL
J. F. NIXON
R. K. ROWE
R. N. YONG

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**
Manager B. E. DREW **Directrice administrative**
Assistant Manager S. D. PRUDHOMME **Directeur administratif adjoint**
Publishing Supervisor F. M. KAVCIC **Chef des publications**
Publication Officer A. YIP **Agente de publication**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS/SOMMAIRE

FEBRUARY/FÉVRIER

Instructions to authors iii

Recommandations aux auteurs iv

ARTICLES

Chester W. Jones Closed-system freezing of soil in earth dams and canals 1
Paul Michelis and E. T. Brown A yield equation for rock 9
Ross Seedsman The behaviour of clay shales in water 18
Marius Roy and Michel Lemieux Long-term behaviour of reconsolidated clay around a driven pile 23
Robert M. C. Ng, K. Y. Lo, and R. K. Rowe Analysis of field performance—the Thunder Bay tunnel 30
L. E. Goodrich Field measurements of soil thermal conductivity 51
A. Wayne Clifton, Richard T. Yoshida, and Roy W. Chursinoff Regina Beach—a town on a landslide 60
Alfred E. Hess Identifying hydraulically conductive fractures with a slow-velocity borehole flowmeter 69

TECHNICAL NOTES/NOTES TECHNIQUES

J. D. Mollard Early regional photointerpretation and geological studies of landslide terrain along the South Saskatchewan and Qu'Appelle River valleys 79
Robert P. Chapuis and Tony Gatien An improved rotating cylinder technique for quantitative measurements of the scour resistance of clays 83
Maurice B. Dusseault, Matthias Loftsson, and David Russell The mechanical behavior of the Kettle Point oil shale 87

DISCUSSIONS

D. M. Cruden The geometry of slip surfaces beneath landslides: predictions from surface measurements: Discussion 94
D. R. Casagrande, L. Casagrande, and G. Castro Improvement of sensitive silty clay by electroosmosis: Discussion 95
Derek V. Morris, Sydney F. Hillis, and Jack A. Caldwell Improvement of sensitive silty clay by electroosmosis: Reply 96
Jean Lafleur and Michel Tétreault Controlling constriction sizes of granular filters: Discussion 97
T. C. Kenney, R. Chahal, E. Chiu, G. I. Ofoegbu, G. N. Omange, and C. A. Ume Controlling constriction sizes of granular filters: Reply 98

BOOK REVIEWS/CRITIQUES DE LIVRES

F. A. De Lory The physiography of southern Ontario 99
D. F. VanDine Slope instability 99

ERRATUM

Derek V. Morris, Sydney F. Hillis, and Jack A. Caldwell Erratum: Improvement of sensitive silty clay by electroosmosis 101

MAY/MAI

ARTICLES

M. S. S. Almeida, A. M. Britto, and R. H. G. Parry Numerical modelling of a centrifuged embankment on soft clay 103
J. N. Hutchinson A sliding–consolidation model for flow slides 115
T. Koumoto, G. G. Meyerhof, and V. V. R. N. Sastry Analysis of bearing capacity of rigid piles under eccentric and inclined loads 127
Robert P. Chapuis Quantitative measurement of the scour resistance of natural solid clays 132
Richard D. Worsfold, Surendra K. Parashar, and Timothy Perrott Depth profiling of peat deposits with impulse radar 142
D. Negussey and Y. P. Vaid Sand deformation under proportional loading 155
G. E. Rawlings Active slide in Tertiary bentonitic claystones, Upper Hat Creek, British Columbia 164
Laval Samson and Jean Authier Change in pile capacity with time: case histories 174
Thomas C. Nichols, Jr., Donley S. Collins, and Richard R. Davidson *In situ* and laboratory geotechnical tests of the Pierre Shale near Hayes, South Dakota—A characterization of engineering behavior 181
J. Graham and J.-M. Hovan Stress characteristics for bearing capacity in sand using a critical state model 195
A. W. Hanna, G. Ambrosii, and A. D. McConnell Investigation of a coarse alluvial foundation for an embankment dam 203
Raymond N. Yong, Prapote Boonsinsuk, and Garry Wong Formulation of backfill material for a nuclear fuel waste disposal vault 216
C. Kent Keller, Garth van der Kamp, and John A. Cherry Fracture permeability and groundwater flow in clayey till near Saskatoon, Saskatchewan 229

TECHNICAL NOTES/NOTES TECHNIQUES

Y. Wasti and M. H. Bezirci Determination of the consistency limits of soils by the fall cone test 241
Jacques Locat, Normand Beauséjour et Marc-André Bérubé Utilisation du céléromètre ultrasonique sur des sols cohérents 247
R. F. Legget and W. R. Schriever Archaeology from a Swiss test boring 250

DISCUSSIONS

G. Pilot, B. Trak, and P. La Rochelle Effective stress analysis of the stability of embankments on soft soils: Reply 253
C. F. Ripley Internal stability of granular filters: Discussion 255

BOOK REVIEW/CRITIQUE DE LIVRE

Neil C. Burgess Piling engineering 259

AUGUST/AOÛT

ARTICLES

Guy Lefebvre Slope instability and valley formation in Canadian soft clay deposits 261
Zoltan V. Solymar and David J. Reed A comparison of foundation compaction techniques 271
V. V. R. N. Sastry and G. G. Meyerhof Lateral soil pressures and displacements of rigid piles in homogeneous soils under eccentric and inclined loads 281
K. Fan, D. G. Fredlund, and G. W. Wilson An interslice force function for limit equilibrium slope stability analysis 287
Nabil F. Ismael and Abdul Majeed Jeragh Static cone tests and settlement of calcareous desert sands 297
C. Robert Ullrich, D. Joseph Hagerty, and Ronald W. Holmberg Surficial failures of alluvial stream banks 304
J. T. Laba and J. B. Kennedy Reinforced earth retaining wall analysis and design 317
J. G. Agar, N. R. Morgenstern, and J. D. Scott Thermal expansion and pore pressure generation in oil sands 327
Edward Penner Ice lensing in layered soils 334
Robert J. Mitchell Centrifuge model tests on backfill stability 341
M. Sayed, R. M. W. Frederking, and D. Bradford Ice cover deformations at Adams Island, winter 1982–1983 346
Sweanum Soo, Robert K. Wen, and Orlando B. Andersland Flexural behavior of frozen soil 355
Jean-Louis Briaud and Guy Y. Felio Cyclic axial loads on piles: Analysis of existing data 362
John P. Greenhouse and David D. Slaine Geophysical modelling and mapping of contaminated groundwater around three waste disposal sites in southern Ontario 372

TECHNICAL NOTES/NOTES TECHNIQUES

Stephen G. Evans The maximum discharge of outburst floods caused by the breaching of man-made and natural dams 385
A. M. Hanna and A. Afram Pull-out capacity of single batter piles in sand 387
Robert J. Mitchell and B. Ian Dubin Pore pressure generation and dissipation in dense sands under cyclic loading 393

DISCUSSIONS

J. B. Burland and J. E. Hellings The measurements of soil parameters relevant to tunnelling in clays: Discussion 399
Robert M. C. Ng and K. Y. Lo The measurements of soil parameters relevant to tunnelling in clays: Reply 401
Guy Lefebvre Postconstruction settlement of an expressway built on peat by precompression: Discussion 402
G. Mesri Postconstruction settlement of an expressway built on peat by precompression: Discussion 403
P. La Rochelle, S. Leroueil, and F. Tavenas The causes and effects of aging in quick clays: Discussion 407
Ghislain Lessard and James K. Mitchell The causes and effects of aging in quick clays: Reply 408
Jean-Marie Konrad Internal stresses in frozen ground: Discussion 408
P. J. Williams and J. A. Wood Internal stresses in frozen ground: Reply 409
S. Leroueil and F. Tavenas Effective stress paths and yielding in soft clays below embankments: Discussion 410
D. J. Folkes and J. H. A. Crooks Effective stress paths and yielding in soft clays below embankments: Reply 413
V. Milligan Internal stability of granular filters: Discussion 414
James L. Sherard and Lorn P. Dunnigan Internal stability of granular filters: Discussion 418
T. C. Kenney and D. Lau Internal stability of granular filters: Reply 420

BOOK REVIEWS/CRITIQUES DE LIVRES

M. C. Harris Field instrumentation in geotechnical engineering 424
D. J. Bazett Soil improvement by preloading 424
Pierre Morin Remblais sur argiles molles 425

NOVEMBER/NOVEMBRE

ARTICLES

Guy Lefebvre, Karol Rohan, and Jean-Pierre Milette Erosivity of intact clay: Influence of the natural structure 427
Vito A. Guido, Dong K. Chang, and Michael A. Sweeney Comparison of geogrid and geotextile reinforced earth slabs 435
Bahaa El Sharnouby and Milos Novak Flexibility coefficients and interaction factors for pile group analysis 441
V. V. R. N. Sastry, G. G. Meyerhof, and T. Koumoto Behaviour of rigid piles in layered soils under eccentric and inclined loads 451
D. J. Bazett and N. R. McCammon Foundations of the Annacis cable-stayed bridge 458
Gerald P. Raymond Performance assessment of a railway turnout geotextile 472
Gérard Ballivy, Brahim Benmokrane et Pierre Claude Aitcin Rôle du scellement dans les ancrages actifs scellés dans le rocher 481
K. W. Savigny and N. R. Morgenstern Geotechnical condition of slopes at a proposed pipeline crossing, Great Bear River valley, Northwest Territories 490
K. W. Savigny and N. R. Morgenstern *In situ* creep properties in ice-rich permafrost soil 504
K. W. Savigny and N. R. Morgenstern Creep behaviour of undisturbed clay permafrost 515
J. H. A. Crooks, K. Been, B. W. Mickleborough, and J. P. Dean An embankment failure on soft fissured clay 528
S. Thomson, J. D. Scott, D. C. Sego, and T. M. Schulz Testing of model footings on reclaimed land, Wabamun, Alberta 541
J. D. McLennan, H. S. Hasegawa, J.-C. Roegiers, and Alan M. Jessop Hydraulic fracturing experiment at the University of Regina Campus 548
E. C. McRoberts and R. Prochera Dredged slopes at Thompson open-pit 556
P. K. Robertson *In situ* testing and its application to foundation engineering 573

TECHNICAL NOTES/NOTES TECHNIQUES

R. Dussault et M. Claisse Le seuil 9 sur la rivière Opinaca 595
Michael Carter and Stephen P. Bentley Practical guidelines for microwave drying of soils 598
P. La Rochelle, S. Leroueil, and F. Tavenas A technique for long-term storage of clay samples 602

BOOK REVIEW/CRITIQUE DE LIVRE
S. Thomson Failure in earthworks 606

Author index for Volume 23	**AI-1**	Index des auteurs pour volume 23	**AI-1**
Subject index for Volume 23	**SI-1**	Index des matières pour volume 23	**SI-1**
Note of appreciation	**i**	Note de reconnaissance	**i**
Contents for Volume 23	**v**	Sommaire pour volume 23	**v**